

Link do produktu: <https://www.sprzetspadochronowy.pl/tandem-cypres-2-p-261.html>



Tandem CYPRES 2

Cena

5 650,00 zł

Opis produktu

Tandem CYPRES 2

For Tandem Skydiving Rigs

The Tandem CYPRES is specifically designed to be used on Tandem style skydives, thus the higher activation altitude to allow for the larger canopies being used. The descent rate for the activation is the same as with the Expert CYPRES (78mph / 35mps) but the default activation altitude is approximately 1900 ft (580m) AGL.

Cable length of control unit:	approx. 650 mm
Volume:	approx. 139 cm ³
Weight:	approx. 198 grams
Activation altitude:	approx. 1900-130 feet (approx. 580 – 40 meter)
Activation speed:	approx > 78 mph (35 m/s)
Length, width, height of the processing unit:	approx. 85 x 43 x 32 mm
Length, width, height of the control unit:	approx. 65 x 18 x 6.5 mm
Length, diameter of the release unit:	approx. 43 x 8 mm
Cable length of the release unit (including release unit):	approx. 500 mm
Storage temperature:	+71° to -25° Celsius
Storage pressure:	200 to 1094 hPa (5.906 to 32.306 In.Hg)
Working temperature:	+63° to -20° Celsius*
Maximum allowable humidity:	up to 99.9 % rel. humidity
Waterproof:	up to 24 hours down to a depth of 8 feet (2.5 meters)
Dropzone offset adjustment limits:	±3000 feet or ±1000 m
Operating range below / above sea level:	-2140 feet to +26,000 feet (-650 m to +8000 m)
Functioning period:	14 hours from switch-on
Power supply:	service life warranty**
Maintenance:	For units with DOM 12/15 and earlier the maintenance is mandatory to be performed 4 and 8 years after the original DOM. For units made in 2016 the maintenance is recommended to be performed 4 and 8 years after original DOM. For units with DOM 01/17 and later the maintenance is recommended to be performed 5 and 10 years after the original DOM.***
Warranty Period:	see Airtec warranty policy
Service life:	DOM prior 01.01.2017: 12.5 years from date of manufacture DOM later 01.01.2017: 15.5 years from date of manufacture

